

Dixon / Boss-Lock Type A Adapters



male adapter x female NPT

Size	356T6 Aluminum		Aluminum Hard Coat		Brass	
	Part #	Price/E	Part #	Price/E	Part #	Price/E
1/2"	50-A-AL	\$8.20	---	---	50-A-BR	\$13.95
3/4" x 1/2"	7550-A-AL	13.50	---	---	7550-A-BR	26.00
	75-A-AL	8.10	---	---	75-A-BR	15.80
1"	100-A-AL	9.65	---	---	100-A-BR	17.40
1 1/4"	125-A-AL	12.45	---	---	125-A-BR	34.70
1 1/2"	150-A-AL	13.30	150-A-ALH	\$27.50	150-A-BR	37.40
2"	200-A-AL	15.50	200-A-ALH	31.25	200-A-BR	47.40
2 1/2"	250-A-AL	23.45	---	---	250-A-BR	78.90
3"	300-A-AL	25.90	300-A-ALH	45.70	300-A-BR	98.70
4"	400-A-AL	58.60	400-A-ALH	95.50	400-A-BR	167.10
5"	500-A-AL	98.85	---	---	500-A-BR	274.95
6"	600-A-AL	117.05	600-A-ALH	181.80	600-A-BR	367.50
8" DIX ¹	800-A-AL	321.65	---	---	---	---
8" BL ¹	801-A-AL	331.00	---	---	---	---



¹ Dixon and Boss-Lock cam and groove couplings *do not interchange in the 8" size.*

Dixon / Boss-Lock Type E Cam and Groove Adapters




male adapter x hose shank

Size	356T6 Aluminum		Aluminum Hard Coat		Brass	
	Part #	Price/E	Part #	Price/E	Part #	Price/E
1/2"	50-E-AL	\$11.30	---	---	50-E-BR	\$23.40
3/4" x 1/2"	7550-E-AL	9.95	---	---	---	---
	75-E-AL	11.05	---	---	75-E-BR	23.75
1"	100-E-AL	11.10	---	---	100-E-BR	30.55
1 1/4"	125-E-AL	14.40	---	---	125-E-BR	42.45
1 1/2"	150-E-AL ²	14.60	150-E-ALH	\$29.40	150-E-BR	47.40
2"	200-E-AL ²	18.00	200-E-ALH	36.50	200-E-BR	67.40
2 1/2"	250-E-AL	28.65	---	---	250-E-BR	104.20
3"	300-E-AL ²	31.40	300-E-ALH	58.70	300-E-BR	115.00
4"	400-E-AL ²	63.45	400-E-ALH	101.50	400-E-BR	197.60
5"	500-E-AL	101.90	---	---	---	---
6"	600-E-AL	123.90	600-E-ALH	198.00	600-E-BR	521.85
8" DIX ¹	800-E-AL	550.60	---	---	---	---
8" BL ¹	801-E-AL	556.40	---	---	---	---



¹ Dixon and Boss-Lock cam and groove couplings *do not interchange in the 8" size.*

² See page 37 for external interlocking crimp ferrules




Stainless steel crimp sleeves for Dixon and Boss-Lock shanks are available on page 34.

Interlocking Crimp Ferrule²
For use on 1 1/2", 2", 3" and 4"
aluminum hose shanks only.

Dixon Type C Cam and Groove Couplers



female coupler x hose shank



Interlocking Crimp Ferrule ³
For use on 1½", 2", 3" and 4"
aluminum hose shanks only.

Size	356T6 Aluminum		Aluminum Hard Coat		Brass	
	Part #	Price/E	Part #	Price/E	Part #	Price/E
½"	50-C-AL	\$17.05	---	---	50-C-BR	\$37.60
¾"	75-C-AL	20.25	---	---	75-C-BR	42.80
1"	100-C-AL	21.00	---	---	100-C-BR	47.75
1¼"	125-C-AL ²	43.90	---	---	125-C-BR ²	72.10
1½"	150-C-AL ³	26.50	150-C-ALH	\$41.60	150-C-BR	67.10
2"	200-C-AL ³	30.45	200-C-ALH	48.25	200-C-BR	78.80
2½"	250-C-AL ²	52.75	---	---	250-C-BR ²	110.25
3"	300-C-AL ³	47.60	300-C-ALH	77.80	300-C-BR	154.75
4"	400-C-AL ³	67.70	400-C-ALH	104.85	400-C-BR	207.20
5"	500-C-AL	115.65	---	---	---	---
6"	600-C-AL	170.75	600-C-ALH	241.50	600-C-BR	727.00
8" ¹	800-C-AL	674.30	---	---	---	---



¹ Dixon and Boss-Lock cam and groove couplings *do not interchange in the 8" size*.
The 8" Dixon design has 4 cam arms.

² Parts are manufactured in Canada.

³ See page 37 for external interlocking crimp ferrules

Boss-Lock Type C Cam and Groove Couplers



female coupler x hose shank

Size	356T6 Aluminum		Brass	
	Part #	Price/E	Part #	Price/E
¾" x ½"	---	---	---	---
¾"	AC075	\$31.90	BC075	\$54.60
1"	AC100	35.50	BC100	63.65
1¼"	AC125	38.00	BC125	77.25
1½"	AC150	38.40	BC150	78.60
2"	AC200	39.90	BC200	97.95
2½"	AC250	49.15	BC250	142.20
3"	AC300	59.90	BC300	151.00
4"	AC400	83.15	BC400	242.00
6"	AC600	183.40	BC600	670.00
8" ¹	AC800	543.55	---	---



¹ Dixon and Boss-Lock cam and groove couplings *do not interchange in the 8" size*.
The 8" Dixon design has 4 cam arms.

EZ Boss-Lock Type C Cam and Groove Couplers



female coupler x hose shank

Size	356T6 Aluminum		Brass	
	Part #	Price/E	Part #	Price/E
¾" x ½"	---	---	---	---
¾"	AC075EZ	\$58.20	BC075EZ	\$104.50
1"	AC100EZ	65.45	BC100EZ	107.75
1¼"	---	---	BC125EZ	149.70
1½"	AC150EZ	70.00	BC150EZ	121.95
2"	AC200EZ	73.00	BC200EZ	137.50
2½"	AC250EZ	82.60	---	---
3"	AC300EZ	110.00	BC300EZ	224.00
4"	AC400EZ	136.15	BC400EZ	327.60
6"	AC600EZ	293.00	---	---
8" ¹	AC800EZ	600.00	---	---



¹ Dixon and Boss-Lock cam and groove couplings *do not interchange in the 8" size*.
The 8" Dixon design has 4 cam arms.

Global Cam and Groove

Dixon global cam and groove are designed to interchange with all products produced to MIL-C-27487F. Global cam and groove are intended for the transfer of products such as water and sewage in non-critical applications in the agricultural and construction industries. For other applications please consult Dixon.

Features:

- All parts are made to Dixon specifications and branded Dixon
- Buna seals are standard in all couplers

Global Type A Adapters



female NPT x male adapter

Size	Aluminum *		Brass		316 Stainless Steel	
	Part #	Price/E	Part #	Price/E	Part #	Price/E
¾"	G75-A-AL	\$4.90	G75-A-BR	\$9.85	G75-A-SS	\$16.55
1"	G100-A-AL	5.30	G100-A-BR	12.80	G100-A-SS	20.35
1¼"	G125-A-AL	7.90	G125-A-BR	16.60	G125-A-SS	26.50
1½"	G150-A-AL	6.45	G150-A-BR	19.35	G150-A-SS	28.40
2"	G200-A-AL	6.75	G200-A-BR	25.55	G200-A-SS	34.40
2½"	G250-A-AL	14.90	G250-A-BR	37.75	G250-A-SS	64.10
3"	G300-A-AL	14.30	G300-A-BR	41.85	G300-A-SS	72.15
4"	G400-A-AL	22.45	G400-A-BR	81.00	G400-A-SS	127.80
6"	G600-A-AL	56.50	---	---	G600-A-SS	224.60

* ¾" - 4" are A380 die cast aluminum
6" is 356T6 aluminum

Global Type E Adapters



hose shank x male adapter

Size	Aluminum *		Brass		316 Stainless Steel	
	Part #	Price/E	Part #	Price/E	Part #	Price/E
¾"	G75-E-AL	\$4.25	G75-E-BR	\$17.65	G75-E-SS	\$15.15
1"	G100-E-AL	5.45	G100-E-BR	18.40	G100-E-SS	23.00
1¼"	G125-E-AL	7.45	G125-E-BR	19.25	G125-E-SS	31.95
1½"	G150-E-AL	7.60	G150-E-BR	23.20	G150-E-SS	31.70
2"	G200-E-AL	9.90	G200-E-BR	35.55	G200-E-SS	44.65
2½"	G250-E-AL	16.15	G250-E-BR	57.30	G250-E-SS	67.25
3"	G300-E-AL	16.60	G300-E-BR	71.15	G300-E-SS	93.80
4"	G400-E-AL	26.30	G400-E-BR	117.25	G400-E-SS	135.60
6"	G600-E-AL	86.25	---	---	G600-E-SS	331.65

* ¾" - 4" are A380 die cast aluminum
6" is 356T6 aluminum

NOT for use with
Interlocking Crimp Ferrules

Global Type F Adapters



male NPT x male adapter

Size	Aluminum *		Brass		316 Stainless Steel	
	Part #	Price/E	Part #	Price/E	Part #	Price/E
¾"	G75-F-AL	\$5.45	G75-F-BR	\$11.70	G75-F-SS	\$19.70
1"	G100-F-AL	6.45	G100-F-BR	15.25	G100-F-SS	27.80
1¼"	G125-F-AL	9.55	G125-F-BR	27.40	G125-F-SS	37.95
1½"	G150-F-AL	7.45	G150-F-BR	28.45	G150-F-SS	40.55
2"	G200-F-AL	8.95	G200-F-BR	32.15	G200-F-SS	48.55
2½"	G250-F-AL	19.25	G250-F-BR	45.70	G250-F-SS	78.50
3"	G300-F-AL	20.15	G300-F-BR	62.60	G300-F-SS	95.45
4"	G400-F-AL	28.65	G400-F-BR	92.10	G400-F-SS	131.00
6"	G600-F-AL	71.35	---	---	G600-F-SS	351.45

* ¾" - 4" are A380 die cast aluminum
6" is 356T6 aluminum

Global Type DP Dust Plugs



dust plug

Size	Aluminum *		Brass		316 Stainless Steel	
	Part #	Price/E	Part #	Price/E	Part #	Price/E
¾"	G75-DP-AL	\$4.10	G75-DP-BR	\$12.75	G75-DP-SS	\$10.15
1"	G100-DP-AL	4.55	G100-DP-BR	13.05	G100-DP-SS	16.30
1¼"	G125-DP-AL	4.90	G125-DP-BR	16.10	G125-DP-SS	26.10
1½"	G150-DP-AL	5.45	G150-DP-BR	16.60	G150-DP-SS	25.80
2"	G200-DP-AL	7.10	G200-DP-BR	20.10	G200-DP-SS	29.75
2½"	G250-DP-AL	9.90	G250-DP-BR	31.20	G250-DP-SS	57.75
3"	G300-DP-AL	11.85	G300-DP-BR	35.00	G300-DP-SS	64.25
4"	G400-DP-AL	19.30	G400-DP-BR	57.30	G400-DP-SS	74.35
6"	G600-DP-AL	50.40	---	---	G600-DP-SS	222.55

* ¾" - 4" are A380 die cast aluminum
6" is 356T6 aluminum

Cam & Groove Fittings

Global Type B Couplers

Size	Aluminum *		Brass	
	Part #	Price/E	Part #	Price/E
¾"	G75-B-AL	\$11.45	G75-B-BR	\$22.45
1"	G100-B-AL	13.15	G100-B-BR	24.35
1¼"	G125-B-AL	17.05	G125-B-BR	33.90
1½"	G150-B-AL	15.70	G150-B-BR	34.30
2"	G200-B-AL	16.50	G200-B-BR	38.55
2½"	G250-B-AL	26.30	G250-B-BR	59.90
3"	G300-B-AL	27.70	G300-B-BR	74.40
4"	G400-B-AL	39.30	G400-B-BR	106.90
6"	G600-B-AL	103.80	---	---



female coupler x male NPT

* ¾" - 4" are A380 die cast aluminum
6" is 356T6 aluminum

Size	316 Stainless Steel	
	Part #	Price/E
¾"	G75-B-SS	\$28.70
1"	G100-B-SS	31.70
1¼"	G125-B-SS	46.40
1½"	G150-B-SS	46.40
2"	G200-B-SS	57.65
2½"	G250-B-SS	79.65
3"	G300-B-SS	98.15
4"	G400-B-SS	141.55
6"	G600-B-SS	385.15



female coupler x male NPT

Global Type C Couplers

Size	Aluminum *		Brass	
	Part #	Price/E	Part #	Price/E
¾"	G75-C-AL	\$10.70	G75-C-BR	\$18.80
1"	G100-C-AL	12.35	G100-C-BR	27.15
1¼"	G125-C-AL	15.80	G125-C-BR	28.45
1½"	G150-C-AL	15.30	G150-C-BR	35.90
2"	G200-C-AL	18.55	G200-C-BR	43.60
2½"	G250-C-AL	25.91	G250-C-BR	65.20
3"	G300-C-AL	27.25	G300-C-BR	125.15
4"	G400-C-AL	36.25	G400-C-BR	131.45
6"	G600-C-AL	122.30	---	---



female coupler x hose shank

* ¾" - 4" are A380 die cast aluminum
6" is 356T6 aluminum

NOT for use with
Interlocking Crimp Ferrules

Size	316 Stainless Steel	
	Part #	Price/E
¾"	G75-C-SS	\$26.95
1"	G100-C-SS	29.40
1¼"	G125-C-SS	46.50
1½"	G150-C-SS	46.50
2"	G200-C-SS	55.80
2½"	G250-C-SS	68.65
3"	G300-C-SS	110.45
4"	G400-C-SS	153.60
6"	G600-C-SS	385.15



female coupler x hose shank

NOT for use with
Interlocking Crimp Ferrules

Cam & Groove Fittings

Interlocking Style External Crimp Ferrules

Dixon's External Crimp Ferrules are designed for use with Dixon's Type C and E hose shanks (pages 16, 20). This design offers 360° interlocking with approved Dixon hose shanks and can be installed with any Dixon crimper system. For crimp specifications please refer to pages 586-588.

- designed to be used on aluminum Dixon grooved hose shanks (1½", 2", 3", 4")
- carbon steel for rugged applications
- ½" – 2" features .063" wall thickness
- 3" – 4" features .125" wall thickness
- turnover edge is sliced for easy ferrule removal
- large offering of ID sizes to match your hose OD
- streamlined and safe final assembly
- *Do NOT interchange with other products.*

SAFETY
ALERT

Size	Hose OD		Carbon Steel	
	from	to	Part #	Price/E
1½"	1-49/64"	1-52/64"	CF150-1	\$11.75
	1-53/64"	1-56/64"	CF150-2	11.75
	1-57/64"	1-60/64"	CF150-3	11.75
	1-61/64"	2"	CF150-4	11.75
	2-1/64"	2-4/64"	CF150-5	11.75
	2-5/64"	2-8/64"	CF150-6	11.75
	2-9/64"	2-12/64"	CF150-7	11.75
	2-13/64"	2-16/64"	CF150-8	11.75
	2-17/64"	2-20/64"	CF150-9	11.75
	2-21/64"	2-24/64"	CF150-10	11.75
2"	2-21/64"	2-24/64"	CF200-1	14.65
	2-25/64"	2-28/64"	CF200-2	14.65
	2-29/64"	2-32/64"	CF200-3	14.65
	2-33/64"	2-36/64"	CF200-4	14.65
	2-37/64"	2-40/64"	CF200-5	14.65
	2-41/64"	2-44/64"	CF200-6	14.65
	2-45/64"	2-48/64"	CF200-7	14.65
	2-49/64"	2-52/64"	CF200-8	14.65
	2-53/64"	2-56/64"	CF200-9	14.65
	2-57/64"	2-60/64"	CF200-10	14.65
3"	3-23/64"	3-26/64"	CF300-1	20.75
	3-27/64"	3-30/64"	CF300-2	20.75
	3-31/64"	3-34/64"	CF300-3	20.75
	3-35/64"	3-38/64"	CF300-4	20.75
	3-39/64"	3-42/64"	CF300-5	20.75
	3-43/64"	3-46/64"	CF300-6	20.75
	3-47/64"	3-50/64"	CF300-7	20.75
	3-51/64"	3-54/64"	CF300-8	20.75
	3-55/64"	3-58/64"	CF300-9	20.75
	3-59/64"	3-62/64"	CF300-10	20.75
4"	4-23/64"	4-26/64"	CF400-1	27.80
	4-27/64"	4-30/64"	CF400-2	27.80
	4-31/64"	4-34/64"	CF400-3	27.80
	4-35/64"	4-38/64"	CF400-4	27.80
	4-39/64"	4-42/64"	CF400-5	27.80
	4-43/64"	4-46/64"	CF400-6	27.80
	4-47/64"	4-50/64"	CF400-7	27.80
	4-51/64"	4-54/64"	CF400-8	27.80
	4-55/64"	4-58/64"	CF400-9	27.80
	4-59/64"	4-62/64"	CF400-10	27.80



interlocking crimp ferrule



type E Dixon cam & groove



type C Dixon cam & groove